

MECHANICAL STEERING



2900 STEERFLEX ROTARY STEERING SYSTEM		
A25S-7709 to A25S-7725	ROTARY STEERING SYSTEM PACKAGE 9' TO 25'	
A25S-4000	2900 STEERING HELM (STEERING HEAD ONLY)	
2900 PACKAGED S.S. STEERFLEX EXTREME ROTARY STEERING SYSTEM		
A25S-8810 to A25S-8820	<i>World's first and only stainless steel constructed rotary steering cable. Latest technology on construction of Stainless Steel Inner Cable with Spring Stainless Steel enclosure coil. Longer cable life with stainless steel inner member.</i> Rotary Steering System Package 10' to 20'	
ZTS ROTARY STEERING SYSTEM		
A25S-9908 to A25S-9920	ZTS MEGA PINNACLE ROTARY STEERING SYSTEM 8' TO 20' (NON FEED BACK)	
BEZELS		
A25S-4013	2900 90 DEGREE BLACK BEZEL	
A25S-4014	2900 20 DEGREE BLACK BEZEL	

MECHANICAL STEERING



STEERING CABLES



A25S-7008 TO A25S-7025, ROTARY STEERING CABLE 8' TO 25' STANDARD.

A25S-8010 TO A25S-8020 ROTARY STEERING S/S CABLE 10 TO 20 FT STAINLESS STEEL.

N.B. LAST 2 DIGITS DENOTE LENGTH OF CABLE

TIEBARS (standard)

A25S-5000	TIEBAR S.S 500MM x 12MM (ROD & NUT)	
A25S-5002	TIEBAR S.S 600MM x 12MM (ROD & NUT)	
A25S-5003	TIEBAR S.S 700MM x 12MM (ROD & NUT)	
A25S-5004	TIEBAR S.S 800MM x 12MM (ROD & NUT)	
A25S-5015	TIEBAR 1100MM S.S (ROD & NUT)	
A25S-5016	TIEBAR 1300MM S.S (ROD & NUT)	

CATAMARAN TIEBARS



A25S-5015	TIEBAR 1100MM FOR CATS
A25S-5005	TIEBAR 1150MM FOR CATS
A25S-5010	TIEBAR 1300MM FOR CATS HD

LINK ARM

A25S-5008	LINK ARM 45HP UP	
-----------	------------------	--

ROSE JOINT BRASS/CHROME

A25S-5001	BALL JOINT (BALL + CLIP)	
A25S-5009	ROSE JOINT (BRASS/CHROME)	
A25S-5014	EMERGENCY STEERING	

MECHANICAL STEERING



STEERING BRACKETS		
11606A1	STEERING BRACKET FOR 15HP MARATHON UP	
17729A1	BRACKET DUAL MOUNT.75-200	
A25S-5017	BRACKET STAINLESS STEEL.	
816667A2	STEERING BRACKET 30/40HP USA	
816667F3	BRACKET STRG.50/60HP	
822465A2	STEERING BRACKET HANDLE KIT 30/40	
92876A10	LINK ARM STANDARD MERCURY/ MARINER	
A25S-1022	SPLASH WELL MNT STEERING BR	
A25S-1023	370610 TRNSM MNT STEERING BR	